- The question paper contain 200 questions
- · All questions are compulsory
- One question carry one mark only
- Negative marking will be 0.33

1. Mode of transmission of Pertussis:

- (a) Vector transmission
- (b) Through contaminated water
- (c) Droplet infection
- (d) Faecoaral

2. Caput succedaneum is

- (a) Birth mark
- (b) Swelling on the face of the body
- (c) Collection of fluid under scalp
- (d) Swelling will not cross the suture line

3. Time required to measure the Mantaux test:

- (a) 24 to 48 hrs
- (b) 48 to 72 hrs
- (c) 10 to 12 hrs
- (d) 2 to 4 hrs
- 4. When a patient in is liver failure, which of the following behavioral changes is the most important assessment to report?
 - (a) Shortness of breath
- (b) Lethargy
- (c) Fatigue
- (d) Nausea
- 5. A client with ovarian cancer is being treated with vincristine. The nurse monitors the client, knowing that which manifestation indicates an adverse effect specific to this medication?
 - (a) Diarrhea
- (b) Hair loss
- (c) Chest pain
- (d) Peripheral neuropathy
- 6. Under integrated management of neonatal and childhood illness care is rendered to
 - (a) Only newborn
 - (b) Under five children
 - (c) months to 5-year old children
 - (d) Age up-to 2 months & 2 months-5 year old children
- 7. The following are the standard tuberculosis drug except:
 - (a) Chloromycin
- (b) Streptomycin
- (c) INH
- (d) PAS
- 8. Which of the following clinical indicates the patient is experiencing Hypokalemia?
 - (a) Edema
- (b) Muscle spasms
- (c) kussmaul breathing
- (d) Abdominal distention

- 9. Combination of Triple Antigen:
 - (a) DPT
- (b) BCG

Total marks: 200

Time: 3 Hrs.

- (c) TAB
- (d) ECG
- 10. A 20 month old is to receive isolyte-p 240 ml IV in 6 hours. The drop factor of the mini dropper is 60 drops/ml. The nurse should regular the IV to run at
 - (a) 36 drops per min
- (b) 40 drops per min
- (c) 32 drops per min
- (d) 20 drops per min
- 11. The time interval between infection of suspected person and the appearance of signs and symptom of the disease is called
 - (a) Quarrentine
- (b) Recovery period
- (c) Incubation
- (d) Isolation period
- 12. Total blood volume of a newborn at birth is
 - (a) 80 ml/ Kg
- (b) 100 ml/kg
- (c) 125 ml/kg
- (d) 150 ml/kg
- 13. Route of transmission of Hepatitis B:
 - (a) Oral
- (b) Potential
- (c) Faeco oral
- (d) Contaminated water
- 14. The enzyme released by the sperm which allows penetration of the ovum is called
 - (a) Amylase
- (b) Hyaluronidase
- (c) Lipase
- (d) Trypsm
- 15. Mode of transmission of typhoid fever:
 - (a) Intravenous
- ypnoid iever (b) Oro facial
- (c) Respiratory
- (d) Droplet
- 16. Proteins are required for
 - (a) Weight reduction
 - (b) Absorption of calcium
 - (c) Maintenance of body tissues
 - (d) Synthesis of steroid hormones
- 17. Causative organism of diphtheria:
 - (a) Mycobacteria
 - (b) Streptococcus
 - (c) Coryne Bacterium diphtheria
 - (d) Staphylococcus
- 18. The reason for using the parental route to administer medications includes

- (a) Parental medications last longer than an oral medication
- (b) It is the least expensive method
- (c) It is easier to measure an accurate dose
- (d) The parenteral route allows more rapid absorption than the oral route
- 19. Incubation period of measles:
 - (a) 1 7 days
- (b) 7 14 days
- (c) 14 21 days
- (d) 21 28 days
- 20. A skin infection that can be a sequel of a staphylococcal infection is
 - (a) Herpes simplex
- (b) Scabies
- (c) Intertrigo
- (d) Impetigo
- 21. Site for mantaux test:
 - (a) Outer & upper quadrant of gluteus maximus
 - (b) Deltoid region
 - (c) Posterior left forearm
 - (d) Anterior left forearm
- 22. The concept of "Multipurpose Health Worker" was given by
 - (a) Kartar singh committee
 - (b) Shrivastav committee
 - (c) Chadha committee
 - (d) National health policy
- 23. Which hormone control the BP



- (a) Erythropoitin
- (b) pepsin
- (c) ptyalin
- (d) renin
- 24. Media of transmission of bovine type of tubercle bacilli:
 - (a) Milk
- (b) Water (c) Air (d) Food
- 25. The principal feature of Kwashiorkor is
 - (a) Visible muscle wasting
 - (b) Severe fat wasting
 - (c) Usually good appetite
 - (d) Edema in lower legs & face
- 26. Painful Micturition:
 - (a) Eneuresis
- (b) Dysuria
- (c) Rentention of urine
- (d) Diarrhoea

- 27. The safest method of termination of pregnancy before 12 week is
 - (a) Suction evacuation
- (b) Dilatation & curettage
- (c) Laminaria tent
- (d) Prostaglandins
- 28. Amount of solution used for evacuant enema in adults:
 - (a) 100 250 ml
- (b) 250 350ml
- (c) 500 1000 ml
- (d) 1000 1500 ml
- 29. Inadequate intake of which vitamin by the pregnant woman may cause neural tube defects?
 - (a) Niacin
- (b) Riboflavin
- (c) Folic acid
- (d) Thiamine
- 30. Drugs used to relieve pain:
 - (a) Anti-inflammatory
- (b) Antipyretics
- (c) Antibiotics
- (d) Analgesics
- 31. India accounts for nearly of the global incidence of tuberculosis
 - (a) 50 %
- (b) 25%
- (c) 20%
- **32.** Hormone secreted by the testes:
 - (a) Oestrogen
- (b) Pitocin
- (c) Androgens
- (d) Progesterone
- 33. In trachoma the patient is infectious when there is
 - (a) Arlt's line
 - (b) Herbert's pits
 - (c) Post-trachomatous concretions
 - (d) Follicles and papillae in the palpebral conjunctiva.
- 34. One teaspoon contains Ml
 - (a) 2ml
- (b) 5ml
- (c) 10ml
- 35. Involution of uterus is completed by
 - (a) 6 weeks
- (b) 8 weeks
- (c) 12 weeks
- (d) 16 weeks
- 36. One ml contains drops

- (a) 5 drops (b) 10 drops (c) 15 drops (d) 20 drops
- 37. The uterine blood flow at term
 - (a) 50 ml/min
- (b) 100 150 ml/min
- (c) 350 375 ml/min
- (d) 500 70 ml/min
- 38. Average weight of a new born baby:
 - (a) 2 kg
- (b) 4 Kg
- (c) 3kg
- (d) 5kg
- 39. The mean cardiac output of fetus is
 - (a) 100 ml/kg/min
- (b) 225 ml/kg/min
- (c) 350 ml/kg/ min
- (d) 415 ml/kg/min

40								
40.	How much salt must be added to one litre of water	EO	Chalara is sausad by a	kind of bacterium called:				
	to make a solution of normal saline?	34.	(a) Tubercle bacillus	(b) Vibrio cholera				
	(a) 2 grams (b) 5 grams		(c) Protozoa	(d) Entamoeba histolytica				
	(c) 6 grams (d) 9 grams		(c) 110t020a	(u) Entamoeba mstorytica				
41.	Which of the following is a preparation of choice	53.	The first person becom	ning sick in an epidemic is				
	for a patient who has been admitted in E.D with an		called					
	open contaminated injury and no recent history of		(a) Primary case	(b) Secondary case				
	tetanus immunization?		(c) Contact case	(d) Index case				
	(a) DTP vaccine (b) Tetanus toxoid							
	(c) Tetanus antitoxin (d) Tetanus immunoglobulin	54.	Drinking of alcohol wil					
			(a) Kidney	(b) Brain				
42.	Number of vertebra in the sacrum:		(c) Stomach	(d) Liver				
	(a) 5 (b) 3 (c) 4 (d) 1		Most appropriate age f	an aanly primary				
		55.						
43.	Normally newborn lose weight in 1st week of life		immunization against TB, diphtheria, whooping cough, tetnus polio, measles and hepatitis B is					
	(a) 1 % of birth weight		(a) Birth to 6 months	(b) Birth to 9 months				
	(b) 5 % of birth weight		(c) Birth to 1 year	(d) Birth to 18 month				
	(c) 10 % of birth weight		(c) bit til to 1 year	(a) Birtir to 10 month				
	(d) 20 % of birth weight	56.	56. Identify the marked					
4.4.	Number of chromosome in a cell:							
тт.	(a) 23 (b) 44 (c) 46 (d) 40			1				
	(a) 23 (b) 11 (c) 10 (a) 10	4	10	•				
45.	The immunity developed as a result of infection by							
	pathogenic organism is							
	(a) Active immunity (b) Passive immunity							
	(c) Natural immunity (d) Acquired immunity		(a) Uterus	(b) Ovary				
			(c) Cervix	(d) Vagina				
46.	A trial septal defect occurs due to persistence of:							
	(a) Formen ovale (b) Ductus arteriosus	57.	. The disease in which the Patients' blood does not					
	(c) Ductus venosus (d) Mitral valve		clot easily is:					
			(a) Sickle cell anaemia	(b) Haemophilia				
47.	Anti D should be given following Rh+ve delivery		(c) Rabies	(d) Diabetes				
	within	5Ω	EPI includes all vaccine	ne aveant				
	(a) 6 hrs (b) 24 hrs (c) 72 hrs (d) 7 days	50.	(a) DPT (b) MMR	(c) Polio (d) BCG				
48	is a water soluble vitamin:		(a) DI I (b) MMK	(c) I ollo (d) Ded				
10.	(a) Vitamin A (b) Vitamin K	59.	Discolouration of teeth	is caused by a kind of				
	(c) Vitamin B (d) Vitamin D		antibiotics called	J				
	(c) vicanini b		(a) Streptomycin	(b) Neomycin				
49.	The population served by a sub center in plain		(c) Tetracycline	(d) Penicillin				
	areas is							
	(a) 1000 (b) 5000 (c) 30000 (d) 80000	60.	A 28 year old male pati	ient is admitted the hospital				
			for a suspected brain to	umor. While assessing this				
50. Quickening means:			patient nurse would ke	eep in mind that the most				
	(a) Hearing of the fetal heart sound		reliable index of cereb	ral status is				
	(b) Sudden cessation of Menstruation		(a) Pupil response	(b) Deep tendon reflexes				
	(c) Movement of the feuts in the uterus felt by mother		(c) Muscle strength	(d) Level of consciousness				
	(d) Nausa and vomiting in the morning							
	m 10 35 35 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	61.	is caused by the fu	_				
51 .	The vaccine used for the prevention of cervical		(a) Malaria	(b) Athletes foot				

www.mannatacademy.com

(c) Hep B (d) HPV

(c) Filariasis

cancer is

(b) IgG

(a) BCG

(d) Typhus fever

62.	Pain left in calf muscle when the dorsiflexed with
	the leg extended at the knee is called is

- (a) Kernig's sign
- (b) Spalding's sign
- (c) Homan sign
- (d) Goodell's sign

63. The Filariasis is transmitted by

- (a) Anopheles female mosquito
- (b) Anopheles male mosquito
- (c) Culex female mosquito
- (d) Culex male mosquito

64. A young patient who was hit by a car was fortunate because the level of his injury did not interrupt his respiratory function. The cord segments involved with maintaining respiratory function are

- (a) Thoracic level 5 & 6
- (b) Thoracic level 2 & 3
- (c) Cervical level 7 & 8
- (d) Cervical level 3 & 4

65. The blood group contain no antibodies:

- (a) A
- (b) B
- (c) 0
- (d) AB

66. Physiological anaemia in pregnant woman is a result of

- (a) Poor dietary intake of iron
- (b) Increased erythropoiesis
- (c) Increased blood volume of women
- (d) Increased detoxification demands

67. Disease that spread through sexual contact is

- (a) Leprosy
- (b) AIDS (c) Itches (d) Scabies

68. Strawberry spot vagina is seen in

- (a) Candida
- (b) Trichomonas
- (c) CMV
- (d) Herpes simplex

69. Typhoid is transmitted through -

- (a) Water and food
- (c) Touch
- (d) Personal contact

70. A way to promote trust with a patient is to

- (a) Allow family members to visit whenever they want
- (b) Assure the patient that her doctor is excellent
- (c) Follow through when you say you will do something
- (d) Talk with patient about her life, likes and dislikes

71. _is example for the disease caused by bacteria:

- (a) Cold
- (b) Typhoid
- (c) Typhus fever
- (d) Chicken pox

72. The first dose of VIT A is given at the age of

- (a) 1½ year
- (b) 2 years
- (c) 9 months
- (d) 6 months

- 73.is the immunity gets by the body after the first attack of disease.
 - (a) Natural immunity
- (b) Passive immunity
- (c) Artificial immunity
- (d) Acquired immunity

74. Normally by one year of age the birth weight of an infant should increase by

- (a) 1.5 times (b) 2 times (c) 3 times (d) 4 times

75. The cells that are responsible for the production of antibodies are

- (a) Red blood cells
- (b) Platelets
- (c) Plasma
- (d) White blood cells

76. Tertiary prevention is needed in which stage of the natural history of disease?

- (a) Pre-pathogenesis
- (b) Pathogenesis
- (c) Predromal
- (d) Terminal

77. A healthy person can donate blood or Times a year.

- (a) Six or seven
- (b) Five or six
- (c) Three or four
- (d) Two or three

78. Non-stress test is prescribed for a pregnant mother and nurse about the procedure. The nurse tells the

- (a) The test is an invasive procedure and required that an informed consent be signed
- (b) The test will take about 2 hours and will require close monitoring for 2 hours after procedure is
- (c) An ultrasound transducer that record fetal heart activity is secured over the abdomen where the fetal heart sound is heard most clearly
- (d) The fetus is challenged or stressed by uterine contractions to obtain the necessary information

79. Radio-active cobalt and radium are used for the treatment of -diseases.

- (a) Cholera
- (b) Haemophilia
- (c) Cancer
- (d) Sickle cell anaemia

80. The physician has ordered a 24 hours urine specimen. After explaining the procedure to the patient, the nurse collects the first specimen. Thus specimen is then

- (a) Discarded then the collection begins
- (b) Saved as pan of the 24 hours collection
- (c) tested then discarded
- (d) Placed in a separate container and later added to the collection

81.	. World health day is on			92. The main objective of intensive IEC activities for				
	(a) May 12 th	(b) April 7 th		leprosy program i	S			
	(c) April 30 th	(d) December 18 th		(a) Cure of illness		(b) reduc	tion of stigma	
				(c) Case identificati	on	(d) Eradi	cation of disease	
82.	Communicability of measles declines							
	(a) After onset of fever			Infancy period is f				
	(b) During Predromal per	iod		(a) Birth to one mo			onth to 1 year	
	(c) At the time of eruption	1		(c) 1 years to 3 year	rs	(d) 3 year	rs to 5 years	
	(d) After appearance of tr	ash		D C. C				
			94.	Promotion of infa				
83.		ea the appropriate position		practice is encomp	_	_	n continuation of	
	to be used is:			complementary fe	eaing	_	yoon of life	
	(a) Prone position	(b) Supine position		(a) One year of life(c) Three years of life	ifo		year of life years of life	
	(c) Side lying position	(d) Fowler's position		(c) Tillee years of il	ne	(u) roul y	years of file	
84.	The nurse will evaluate	for the most significant	95.	The following are	the sig	ns of dehy	ydration except:	
	complication in the pati	ents undergone chronic		(a) Sunken tearless	eyes	(b) Loss of	of skin elasticity	
	peritoneal dialysis, which	ch is		(c) Diuresis	Y	(d) depre	ssed fintenelle	
	(a) Pulmonary embolism	(b) Hypotension			1			
	(c) Dyspnea	(d) Peritonitis	96.	Thrombophlebitis			-	
				following vascular surgery. Which of the signs				
85.	Protein requirement for	ra pregnant woman per		indicates that possible thrombus has occurred?				
	day:			(a) Kernig's sign		(b) Hagar	-	
	(a) 50 grams	(b) 55 grams		(c) Homan's signs		(a) Bruaz	inski's sign	
	(c) 60 grams	(d) 65 grams	97	The following are	the co	ntacts of (ORS avcant:	
06	DCC Mossles MMD vos	ines should be stored in	٧/.	(a) Sodium chloride		(b) Sugar	-	
00.	(a) 10 – 12°C	(b) 20 – 25°C		(c) Potassium Chlor		. , .	m Carbonate	
	(c) 2 to 8°C	(d) 15 to 20°C		(-)		()		
	(6) 2 10 0 0	(a) 13 to 20 t	98. The extra calories needed by a woman having					
87.	The fundus is at the leve	el of umbilicus during		singleton pregnan	ıcy			
	week pregnancy			(a) 100 Kcal		(b) 200 K	cal	
	(a) 16 (b) 20	(c) 24 (d) 28		(c) 300 Kcal		(d) 500 K	cal	
88.	When a patient's medica	al record is needed as	99.	The most common	ı form	of malnut	rition are the	
		on, you are aware that the		following except				
	record is the property o	f		(a) Beri – beri ((b) Pro	tein energy	y malnutrition	
	(a) The patient	(b) The patient's Lawyer		(c) Marasmus ((d) Kwa	ashiorkor		
	(c) The court	(d) The health care agency						
			100). Which of the follo				
89.	Total weight gain during			priorities at a dis		-	a collapsed	
	(a) 7 – 8 kg	(b) 10 – 11 kg		building in an ear	_		11.	
	(c) 13 – 14 kg	(d) 15 – 16 kg		(a) Hemorrhage no most lives	ecessita	ates imme	diate care to save	
90.	In India which of the fol	lowing functions as First		(b) Those requirin	ng mini	mal care ai	re treated first so	
	Referral Units (FRUs)?	S		that they can help	_			
	(a) Sub – centers	(b) Primary health centers		(c) Those with hea	ad injur	ies are tre	ated first so that	
	(c) Community health centres (d) Regional hospitals			their care more complex				
	· · · · · · · · · · · · · · · · · · ·			(d) Children shoul		ighest prio	rity because they	
91.		baby doubles at the age of		have the greatest l	life exp	ectancy		
	(a) 3 months	(b) 6 months	101	. The first course o	of oral	pills shou	ld be stared on	
	(c) 9 months	(d) 12 months		the Day of me	nstrua	l cycle.		
				(a) 2^{nd} (b) 7^{th}		(c) 5 th	(d) 10 th	

102. Mantoux test is done to diagnose

- (a) Malaria
- (b) Filarial
- (c) Tuberculosis
- (d) TyphoidAIIMS

103. Identify



- (a) Radius
- (b) Carpus
- (c) Meta carpus
- (d) Phalanges

104. The following are the natural method of contraception except:

- (a) Foam tablet
- (b) Basal metabolic temperature
- (c) Rhythm method
- (d) Safe period

105. Bitot's spots are due to the deficiency of

- (a) Vit B
- (b) Vit A
- (c) Vit D
- (d) Carbohydrates

106. is the permanent method of sterilization.

- (b) Diaphragm
- (c) Tubectomy
- (d) b & C

107. A 45 years old patient Mrs. Bhagwati Devi has just been admitted to the hospital for an abdominal hysterectomy following a diagnosis of uterine cancer. Results of lab tests indicate that the patient's WBC is 9800/cu mm. The most appropriate intervention is to

- (a) Call the operating room and cancel the surgery
- (b) Notify the surgeon immediately
- (c) Take no action as this a normal value
- (d) Call the lab and have the test repeated

108. The following organs are situated in the abdominal cavity except:

- (a) Stomach
- (b) Oesophagus
- (c) liver
- (d) Spleen

109. The results of Mantous test are read after

- (a) 6 hrs (b) 24 hrs
- (c) 48 hrs (d) 72 hrs

110. The system of body which helps for the removal of waste matter from body:

- (a) Digestive system
- (b) Endocrine system
- (c) Respiratory system
- (d) Excretory system

111. Chikungunya is a non-fatalillness

- (a) Viral
- (b) Bacterial
- (c) Protozoan
- (d) Plasmodium

112. Total number of bones in human body:

- (a) 306
- (b) 206
- (c) 106
- (d) 406

113. Strongest stimulus of lactation is by

- (a) Metocloramide
- (b) PPH
- (c) Bromocriptine
- (d) Sucking

114. Eruption of teeth starts at the age of.... Month

- (a) 4 months
- (b) 6 months
- (c) 8 months
- (d) 10 months

115. The number of deaths per 1,000 populations per year in a given community is known as

- (a) Crude death rate
- (b) Infant death rate
- (c) Neonatal death rate
- (d) Perinatal death rate

116. The nerve, which carries messages from the brain and spinal cord muscles and glands:

- (a) Motor nerve
- (b) Sensory nerve
- (c) Mixed nerve
- (d) Autonomic nerve

117. A pregnant woman admitted in labour room is attached to external electronic fetal monitor Nurse should do initial nursing assessment which of the following?

- (a) Identifying types of accelerations
- (b) Assessing baseline fetal heart rate
- (c) Determining frequency of the contractions
- (d) Determining intensity of the contractions

118. Speech centre is situated in:

- (a) Perietal lobe
- (b) Frontal lobe
- (c) Occipital lobe
- (d) Temporal lobe

119. When serum bilirubin rises in 3rd and 4th day after birth of the baby due to inefficient hepatic function is known as

- (a) Pathological jaundice
- (b) Physiological jaundice
- (c) Obstructed jaundice
- (d) Viral hepatitis

120. Largest gland in the body:

- (a) Pituitary gland
- (b) Adrenal gland
- (c) Liver
- (d) Gall bladder

121. Rice water stool is the typical sign of

- (a) Cholera
- (b) Hepatitis A
- (c) Hepatitis B
- (d) Dysentery

month (a) 2 (b) 3 (c) 5 (d) 6 123. The assessment finding that should be reported immediately should it develop in the patient with acute pancreatitist is (a) Nausea and vomitting (b) Abdominal pain (c) Decreased bowel sounds (d) Shortness of breath (d) A sasson as placenta is expelled & last for 6 - 8 weeks (e) As soon as placenta is expelled & last for 6 to 8 weeks (c) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks 125. A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Plat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oligaria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord prolapsed (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovaliation (b) Menstruation (c) Wenarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) Log mg% (e) 10 - 20 mg% (d) BO - 120 mg% (e) 10 - 20 mg% (d) Bo - 120 mg% (e) 10 - 20 mg% (d) Bo - 120 mg% (e) 10 - 20 mg% (d) Streptomycin (e) Riffiguity (e) Siddha (e) Onarticition (b) Onarticition (c) Capillaries and beginning of veins is called: (a) Arterias (b) Veins (e) Capillaries (d) Active natural immunity (e) Passive of did obtended through th	122.	Head control of the infa	ant occurs	s at the age of	132.	One gra	m of carbohy	drate yield	S:		
(a) 2 (b) 3 (c) 5 (d) 6 123. The assessment finding that should be reported immediately should it develop in the patient with acute parcreatitis (a) Nausca and vomiting (b) Abdominal pain (c) Decreased bowel sounds (d) Shortness of breath (c) Decreased bowel sounds (d) Shortness of breath (e) As soon as placenta is expelled & last for 6 to 8 weeks (e) As soon as baby is expelled & last for 6 to 8 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) Decreasing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Plast fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria (e) Unanitivity by antibody formation during the course of a disease is (e) Active artificial immunity (e) Passive natural i				Ü		_	-	-			
123. The assessment finding that should be reported immediately should it develop in the patient with acute pancreatitis is (a) Nusses and vomiting (b) Abdominal pain (c) Decreased bowel sounds (d) Shortness of breath (c) Decreased bowel sounds (d) Shortness of breath (d) As soon as placenta is expelled & last for 6 - 8 weeks (e) As soon as placenta is expelled & last for 6 to 8 weeks (c) As soon as the membrane ruptures and last for 6 to 8 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (e) Pale skin color (d) Oliguria (e) Pale skin color (d) Oliguria (f) Pale skin color (d) Oliguria (g) Arterial biod pressure (g) Pale pulsation (g) Cord delivery (g) Arteries (b) Veins (g) Arteries (d) Aveoli (g) Arteries (b) Veins (g) Arteries (b) Veins (g) Arteries (d) Aveoli (g) Arteries (d) Aveoli (g) Arteries (d) Aveoli (g) Arteries (d) Arteries (d) Alveoli (g) Arteries (d) Aveoli (g) Arteries (d) Aveoli (g) Arteries (d) Aveoli (g) Arteries (d) Alveoli (g) Arteries (d) Aveoli (g) Arteries (d) Aveoli (g) Ar			c) 5	(d) 6							
immediately should it develop in the patient with acute pancreatitis is (a) Nausea and vomiting (b) Abdominal pain (c) Decreased bowel sounds (d) Shortness of breath 24. Peurparium is the period begins: (a) As soon as placenta is expelled & last for 6 - 8 weeks (b) As soon as the membrane ruptures and last for 6 to 8 weeks (c) As soon as the membrane ruptures and last for 6 to 8 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks 21.5. A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Flat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria (c) Card prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 21.6. When the umbilical cord lies in front of the presenting part and the membranes are intact its known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 21.7. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Deulmonary artery pressure (d) Cardiac index 21.8. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 21.8. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 21.9. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Strain (d) Dislocation 21.0. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 11. To disinfect 20 liters of water, one should use a single chlorine tablet of			- , -					(-)			
a acute pancreatitis is (a) Nausea and vomiting (b) Abdominal pain (c) Decreased bowel sounds (d) Shortness of breath (c) Decreased bowel sounds (d) Shortness of breath (a) As soon as placenta is expelled & last for 6 - 8 weeks (b) As soon as baby is expelled & last for 6 to 8 weeks (c) As soon as the membrane ruptures and last for 6 to 8 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) Anurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Plate fontanels (b) Moist nucous membrane (c) Pale skin color (d) Oliguria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menanche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Measles vaccination (d) hepatitis B vaccination (e) Blockage of pronchi by mucous secretions (d) Compression of lungs by the dilated heart 140. A condition characterized by moving of bones out joint: (a) Fracture (b) Sprain (c) Strain (d) Dislocation 141. Which of the following Anti tuberculosis drug id bacteriostatic (a) Rifampicin (b) Ethambutol (c) INH (d) Streptomycin	123.		133.	-							
(a) Nausea and vomitting (b) Addominal pain (c) Decreased bowel sounds (d) Shortness of breath (c) Decreased bowel sounds (d) Shortness of breath (e) Artificial respiration (b) Spontaneous respiration (c) Deep breathing (d) Kusmal breathing (d) Kusmal breathing (e) Deep breathing (e) Deep breathing (d) Kusmal breathing (e) Deep breathing (e)			aevelop ir	i the patient with					4 10 44 4		
(c) Decreased bowel sounds (d) Shortness of breath 124. Peurparium is the period begins: (a) As soon as placenta is expelled & last for 6 - 8 weeks (b) As soon as baby is expelled & last for 6 to 8 weeks (c) As soon as the membrane ruptures and last for 6 to 8 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Flat fontanels (b) Moist nucous membrane (c) Pale skin color (d) Oliguria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord pulsation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Certal venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (b) Accumulation of the interstitial immunity (c) Passive artificial immunity (d) Passive artificial immunity (d) Passive artificial immunity (e) Passive artificial immunity (f) Passive artificial immunity (g) Passive artificial immunity (-	a > 41 1			(a) 1%	(b) 2%	(c) 5%	(d) 6%		
(a) Artificial respiration (b) Spontaneous respiration (c) Deep breathing (d) Kusmal breathing (e) Deep breathing (e) Deep breathing (d) Kusmal breathing (e) Deep breathing (e) Deap breathing					404		161				
124. Peurparium is the period begins: (a) As soon as placenta is expelled & last for 6 - 8 weeks (b) As soon as baby is expelled & last for 6 to 8 weeks (c) As soon as baby is expelled & last for 6 to 8 weeks (c) As soon as baby is expelled & last for 6 to 8 weeks (d) As soon as baby is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) Unani-tibb (d) Acupuncture (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) Unani-tibb (d) Acupuncture (e) Unani-tib (d) Acupuncture (e) Unani-tibb (d) Acupuncture (e) Acupuncture (d) Acupuncture (e)		(c) Decreased bowel sou	nds (d) Sh	ortness of breath	134.		_				
(a) As soon as placenta is expelled & last for 6 - 8 weeks (b) As soon as baby is expelled & last for 6 to 8 weeks (c) As soon as the membrane ruptures and last for 6 to 8 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks 125. A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Flat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index (a) Ovulation (c) Menarche (d) Menopause 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Measles vaccination (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (c) Greating blood presentation (d) Cardiac index (a) Arteries (b) Veins (c) Capillaries (d) Ateupincture (d) Passive artificial immunity (d) Passive artificial immunity (d) Passive artificial immunity (d) Passive artificial immunity (e) Passive natural immunity (d) Passive artificial immunity (e) Passive artificial immunity (f) Passive artificial immunity (g) Passive artificial immunity (g) Passive of the symptom of weeks are intact it is (a) Cardiac index (a) Garbon dioxide (b) Carbon monoxide (c) Nitrogen peroxide (d) Oxygen 139. Dyspnea associated with congestive heart failure is primarily due to (a) Blockage of a pulmonary artery by an embolus (c) Blockage of pronchi by mucous secretions (d) Compression of lungs by the dilated heart 140. A condition characterized by moving of bones out joint: (a) Fracture (b) Sprain (c) Strain (d) Dislocation 141. Which of the following Anti tuberculosis drug id bacteriostatic (a) Rifampicin (b) Ethambutol											
135. Which of the following system of medicine is of to 8 weeks (c) As soon as baby is expelled & last for 6 to 8 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (e) As soon as placenta is expelled & last for 10 - 12 weeks (a) Homeopathy (d) Acupuncture (124.					(c) Deep	breathing	(d) Kusi	nal breathing		
(b) As soon as baby is expelled & last for 6 to 8 weeks (c) As soon as the membrane ruptures and last for 6 to 8 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks 125. A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Flat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Measles vaccination (d) hepatitis B vaccination (c) Measles vaccination (d) hepatitis B vaccination (c) Measles vaccination (d) be BCG (c) Measles vaccination (d) Be Cord on mg% (c) 10 - 20 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of			s expelled	& last for 6 - 8	405	TA71 ' 1					
(c) As soon as the membrane ruptures and last for 6 to 8 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks 125. A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Flat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (d) Acuptuncture (d) Alveoli 130. Minute, this walled blood vessels between the ends of the arteries and beginning of veins is called: (a) Arteries (b) Veins (c) Capillaries (d) Alveoli 137. Immunity by antibody formation during the course of a disease is (a) Active natural immunity (c) Passive antural immunity (d) Passive artificial immunity (d) Passive artificial immunity (e) Passive artificial immunity (d) Passive artificial immunity (e) Passive artificial immunity (e) Passive artificial immunity (e) Passive artificial immunity (e) Passive artificial immunity (d) Dacuptuncture (d) Oxygen (d) Acuptuncture (e) Dacuptuncture (d) Acuptuncture (e) Nitrogen peroxide (d) Oxygen (e) Nitrogen peroxide (d) Oxygen (d) Compression of lungs by the dilated heart 140. A condition characterized by moving of bones out joint: (a) Fracture (b) Sprain (c) Strain (d) Dislocation 141. Which of the following Anti tuberculosis drug					135.			ig system o	t medicine is of		
(d) As soon as placenta is expelled & last for 10 - 12 weeks (d) As soon as placenta is expelled & last for 10 - 12 weeks 125. A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Flat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index (a) Ovulation (b) Menstruation (c) Meanerche (d) Menopause 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Meansche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) BCG - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 30 - 120 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 40 - 60 mg% (d) 30 - 120 mg% (e) 10 - 20 mg% (d) 30 - 120 mg% (d) 30 -								a > a + 1 +			
(d) As soon as placenta is expelled & last for 10 - 12 weeks 125. A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Flat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Gord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (c) Pulmonary artery pressure (d) Cardiac index (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 128. Starting of menstrual cycle is called: (a) Ovulation (b) BCGr (a) Ovulation (b) BCGr (c) Measles vaccination (d) hepatitis B vaccination (e) 140. A condition characterized by moving of bones out joint: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 30 mg/s (e) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 10 mg/s (e) 10 mg/s (e) 10 - 10 mg/s (e) 10 mg/s (e) 10 mg/s (e) 10 mg/s (e) 10 mg/s (e		(c) As soon as the member	rane ruptu	ires and last for 6							
125. A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Plat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria (d) Alveoli (a) Active natural immunity (c) Passive natural immunity (d) Passive artificial immunity (e) Passive natural immunity (f) Passive artificial immunity (f) Passive artificia		to 8 weeks				(c) Unan	i-tibb	(d) Acu	puncture		
## called: 125. A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Flat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (d) Cardiac index (a) Ovulation (b) Menstruation (c) Pulmonary artery pressure (d) Cardiac index (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause (b) Menopause (c) Blockage of a pulmonary artery by an embolus (e) Blockage of foronchi by mucous secretions (e) Blockage of foronchi by mucous secretions (e) Strain (d) Dislocation (d) Streptomycin (e) Strain (d) Dislocation (d) Repatitis B vaccination (e) 140. A condition characterized by moving of bones out joint: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 20 mg% (d) 80 - 120 mg% (e) 10 - 10 mg% (e) 10 mg/maximate in the membranes are intact it is not intensification in the membranes		(d) As soon as placenta is	s expelled	& last for 10 - 12			C. X	, ,			
125. A nurse is assessing a child for dehydration The nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Flat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (c) Measles vaccination (d) hepatitis B vaccination (d) A condition characterized by moving of bones out joint: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (d) Streptomycin single chlorine tablet of		weeks			136.						
nurse determines that the child is moderately dehydrated if which of the symptom is noted (a) Flat fontanels (b) Moist mucous membrane (c) Pale skin color (d) Oliguria 137. Immunity by antibody formation during the course of a disease is (a) Active natural immunity (b) Active natural immunity (c) Passive natural immunity (d) Passive artificial immunity (e) Passive natural immunity (d) Passive artificial immunity (e) Passive natural immunity (d) Passive artificial immunity (e) Passive natural immunity (f) Passive artificial immunity (g) Passive natural immunity (g) Passive artificial immunity (g) Passive natural immun							the arteries a	nd beginni	ng of veins is		
dehydrated if which of the symptom is noted (a) Flat fontanels (c) Pale skin color (d) Oliguria 137. Immunity by antibody formation during the course of a disease is 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Oyulation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Menarche 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (e) Iimmunity by antibody formation during the course of a disease is (a) Active natural immunity (b) Active artificial immunity (c) Passive natural immunity (d) Passive artificial immunity (d) Passive artificial immunity (d) Passive natural immunity (e) Passive natural immunity (d) Passive natural immunity (d) Passive natural immunity (e) Passive natural immunity (d) Passive natural immunity (e) Passive natural immunity (d) Passive natural immunity (e) Pa	125.	A nurse is assessing a c	hild for d	ehydration The							
(a) Flat fontanels (c) Pale skin color (d) Oliguria 137. Immunity by antibody formation during the course of a disease is 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 138. A waste gas produced by the body and exhaled through the lungs is: (a) Carbon dioxide (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Measles vaccination (d) hepatitis B vaccination (e) Moroal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (e) INH (d) Streptomycin 137. Immunity by antibody formation during the courses of a disease is (a) Active natural immunity (b) Active artificial immunity (c) Passive artificial immunity (d) Passive artificial immunity (e) Passive artifici		nurse determines that	the child	is moderately							
(c) Pale skin color (d) Oliguria 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (d) Hepatitis B vaccination (e) Menarbod urea level is: (a) 40 – 60 mg% (b) 20 – 40 mg% (c) 10 – 20 mg% (d) 80 – 120 mg% (d) Streptomycin 131. To disinfect 20 liters of water, one should use a single chlorine tablet of 132. Mormal blood urea table to f		dehydrated if which of	the symp	tom is noted		(c) Capil	laries	(d) Alve	oli		
course of a disease is 126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (c) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of		(a) Flat fontanels (b)	Moist muc	ous membrane	$\langle \cdot \rangle$						
126. When the umbilical cord lies in front of the presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) Repatitis B vaccination (c) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 – 60 mg% (b) 20 – 40 mg% (c) 10 – 20 mg% (d) 80 – 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of		(c) Pale skin color (d) (Oliguria		137.						
presenting part and the membranes are intact it is known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 138. A waste gas produced by the body and exhaled through the lungs is: (a) Carbon dioxide (b) Carbon monoxide through the lungs is: (a) Carbon dioxide (b) Carbon monoxide (c) Nitrogen peroxide (d) Oxygen (b) Central venous pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Measles vaccination (d) hepatitis B vaccination (e) 140. Normal blood urea level is: (a) 40 – 60 mg% (b) 20 – 40 mg% (c) 10 – 20 mg% (d) 80 – 120 mg% 130. Normal blood urea level is: (a) 40 – 60 mg% (b) 20 – 40 mg% (c) 10 – 20 mg% (d) 80 – 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of											
known as: (a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (c) 130. Normal blood urea level is: (a) 40 – 60 mg% (b) 20 – 40 mg% (c) 10 – 20 mg% (d) 80 – 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of	126.	6. When the umbilical cord lies in front of the						-			
(a) Cord prolapsed (b) Cord presentation (c) Cord pulsation (d) Cord delivery 138. A waste gas produced by the body and exhaled through the lungs is: (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) Menopause 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of		presenting part and the	e membra	nes are intact it is							
(c) Cord pulsation (d) Cord delivery 138. A waste gas produced by the body and exhaled through the lungs is: (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Mormal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of		known as:		\sim							
138. A waste gas produced by the body and exhaled through the lungs is: (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (c) Menal blood urea level is: (a) 40 – 60 mg% (b) 20 – 40 mg% (c) 10 – 20 mg% (d) 80 – 120 mg% (d) 80 – 120 mg% (e) 101. To disinfect 20 liters of water, one should use a single chlorine tablet of		(a) Cord prolapsed	(b) Cord	presentation		(d) Passi	ive artificial im	ımunity			
127. The nurse knows that the most informative measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Oyulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Mormal blood urea level is: (a) 40 − 60 mg% (b) 20 − 40 mg% (c) 10 − 20 mg% (d) 80 − 120 mg% (e) INH (d) Streptomycin (d) Carbon dioxide (e) Carbon dioxide (d) Carbon dioxide (d) Cysten (d) Oxygen (d) O		(c) Cord pulsation	(d) Cord	delivery			_				
measurement for determining cardiogenic shock (a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 139. Dyspnea associated with congestive heart failure is primarily due to (a) Blockage of a pulmonary artery by an embolus (b) Accumulation of fluid in the interstitial spaces (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Measles vaccination (d) hepatitis B vaccination (e) 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (e) INH (d) Streptomycin					138.			i by the bo	dy and exhaled		
(a) Arterial blood pressure (b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 139. Dyspnea associated with congestive heart failure is primarily due to (a) Blockage of a pulmonary artery by an embolus (b) Accumulation of fluid in the interstitial spaces (d) Compression of lungs by the dilated heart 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (c) Mormal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (e) INH (d) Streptomycin (d) Oxygen (d) Dyspnea associated with congestive heart failure is primarily due to (a) Blockage of a pulmonary artery by an embolus (c) Blockage of bronchi by mucous secretions (d) Compression of lungs by the dilated heart 140. A condition characterized by moving of bones out joint: (a) Fracture (b) Sprain (c) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) Streptomycin	127.					_	_		_		
(b) Central venous pressure (c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (c) Memal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (e) INH (d) Streptomycin (e) INH (d) Streptomycin (d) Streptomycin		measurement for deter	mining c	ardiogenic shock							
(c) Pulmonary artery pressure (d) Cardiac index 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (c) Menard blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of		(a) Arterial blood pressu	re	Y		(c) Nitro	gen peroxide	(d) Oxy	gen		
is primarily due to (a) Cardiac index is primarily due to (a) Blockage of a pulmonary artery by an embolus (b) Accumulation of fluid in the interstitial spaces (c) Menarche (d) Menopause (e) Menopause (f) Menopause (h) Accumulation of fluid in the interstitial spaces (c) Blockage of bronchi by mucous secretions (d) Compression of lungs by the dilated heart (a) Fracture (b) Sprain (c) Strain (d) Dislocation (c) Strain (d) Dislocation (e) Strain (h) Menopause (h) Menopause (h) A condition characterized by moving of bones out joint: (a) Fracture (b) Sprain (c) Strain (d) Dislocation (d) Dislocation (e) Menopause (h) Menopause (h) Menopause (h) Menopause (h) A condition characterized by moving of bones out joint: (a) Fracture (b) Sprain (c) Strain (d) Dislocation (d) Dislocation (e) Strain (f) Menopause (h) Menopause (h) Menopause (h) A condition characterized by moving of bones out joint: (a) Fracture (b) Sprain (c) Strain (d) Dislocation (d) Dislocation (e) Strain (f) Menopause (h) Menopause (h) Menopause (h) A condition characterized by moving of bones out joint: (a) Fracture (b) Sprain (d) Dislocation (d) Dislocation (d) Menopause (e) S		(b) Central venous press	ure			_					
(a) Blockage of a pulmonary artery by an embolus 128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (c) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (e) INH (d) Streptomycin 131. To disinfect 20 liters of water, one should use a single chlorine tablet of		(c) Pulmonary artery pre	essure		139.			vith conges	stive heart failure		
128. Starting of menstrual cycle is called: (a) Ovulation (b) Menstruation (c) Menarche (d) Menopause (d) Compression of lungs by the dilated heart 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Strain (f) Sprain (g) Sprain (g) Strain (g) Sprain (g) Strain (g) Sprain (g) Strain (g) St		(d) Cardiac index	7			-					
(a) Ovulation (b) Menstruation (c) Menarche (d) Menopause (d) Compression of lungs by the dilated heart 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Strain (e) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of (c) Blockage of bronchi by mucous secretions (d) Compression of lungs by the dilated heart 140. A condition characterized by moving of bones out joint: (a) Fracture (b) Sprain (c) Strain (d) Dislocation 141. Which of the following Anti tuberculosis drug id bacteriostatic (a) Rifampicin (b) Ethambutol (d) Streptomycin			,								
(c) Menarche (d) Menopause (d) Compression of lungs by the dilated heart 129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (e) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of (d) Compression of lungs by the dilated heart 140. A condition characterized by moving of bones out joint: (a) Fracture (b) Sprain (c) Strain (d) Dislocation 141. Which of the following Anti tuberculosis drug id bacteriostatic (a) Rifampicin (b) Ethambutol (c) INH (d) Streptomycin	128.	Starting of menstrual c	ycle is cal	led:					-		
129. Which immunization produces a permanent scar? (a) DPT (b) BCG (c) Measles vaccination (d) hepatitis B vaccination (c) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 141. Which of the following Anti tuberculosis drug id bacteriostatic (a) Rifampicin (b) Ethambutol (c) INH (d) Streptomycin		(a) Ovulation	(b) Mens	truation							
(a) DPT (b) BCG (d) hepatitis B vaccination (c) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (e) 131. To disinfect 20 liters of water, one should use a single chlorine tablet of		(c) Menarche	(d) Meno	pause		(d) Com	pression of lur	igs by the d	ilated heart		
(a) DPT (b) BCG (d) hepatitis B vaccination (c) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (d) 80 - 120 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of											
(c) Measles vaccination (d) hepatitis B vaccination (e) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 131. To disinfect 20 liters of water, one should use a single chlorine tablet of (a) Fracture (b) Sprain (d) Dislocation 141. Which of the following Anti tuberculosis drug id bacteriostatic (a) Rifampicin (b) Ethambutol (c) INH (d) Streptomycin	129.	Which immunization p	roduces a	permanent scar?	140.		tion characte	rized by m	oving of bones out		
(c) Strain (d) Dislocation 130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% (d) 80 - 120 mg% (a) Rifampicin (b) Ethambutol 131. To disinfect 20 liters of water, one should use a single chlorine tablet of		(a) DPT	(b) BCG			•					
130. Normal blood urea level is: (a) 40 - 60 mg% (b) 20 - 40 mg% (c) 10 - 20 mg% (d) 80 - 120 mg% 141. Which of the following Anti tuberculosis drug id bacteriostatic (a) Rifampicin (b) Ethambutol 131. To disinfect 20 liters of water, one should use a single chlorine tablet of		(c) Measles vaccination	(d) hepa	titis B vaccination							
(a) 40 - 60 mg% (b) 20 - 40 mg% bacteriostatic (a) Rifampicin (b) Ethambutol 131. To disinfect 20 liters of water, one should use a single chlorine tablet of						(c) Strain	n	(d) Dislo	ocation		
(c) 10 – 20 mg% (d) 80 – 120 mg% bacteriostatic (a) Rifampicin (b) Ethambutol 131. To disinfect 20 liters of water, one should use a single chlorine tablet of (c) INH (d) Streptomycin	130.	Normal blood urea leve	el is:								
(c) 10 – 20 mg% (d) 80 – 120 mg% (a) Rifampicin (b) Ethambutol 131. To disinfect 20 liters of water, one should use a single chlorine tablet of (c) INH (d) Streptomycin		(a) 40 - 60 mg%	(b) 20 -	40 mg%	141.			ıg Anti tube	erculosis drug id		
(a) Rifampicin (b) Ethambutol 131. To disinfect 20 liters of water, one should use a single chlorine tablet of (c) INH (d) Streptomycin		(c) 10 – 20 mg%	(d) 80 -	120 mg%							
single chlorine tablet of		-		-			npicin				
_	131.	31. To disinfect 20 liters of water, one should use a				(c) INH		(d) Stre	ptomycin		
(a) 0.5 g (b) 1.5 g (c) 2.5 g (d) 3.5 g		single chlorine tablet o	f								
		(a) 0.5 g (b) 1.5 g	(c) 2.5 g	(d) 3.5 g							

142. A tube of muscular tissue carrying ingested food from the mouth to stomach:

- (a) Oesophagus
- (b) Duodenum
- (c) Trachea
- (d) Pharynx

143. Which one of the following Statements best describes health? Health is

- (a) A relative of being
- (b) The total state of physical and physiological
- (c) The state of functioning well physically mentally and socially
- (d) Being free of sickness of infinity

144. A red pigment in the blood cells which combines with oxygen and carbon dioxide for carrying

- (a) Red blood cells
- (b) Haemoglobin
- (c) Platelet
- (d) Plasma

145. Teritary level of prevention of disease is related to

- (a) Vaccination
- (b) Good nutrition
- (c) Rehabilitation to normal physical, mental and social health
- (d) Good test and sleep

146. Information given by the sufferer about his illness:

- (a) Sign
- (b) Symptom
- (c) Observation
- (d) Diagnosis

147. Major route of transmission of Hepatitis A is

- (a) Feco-oral route
- (b) Parental route
- (c) Sexual transmission (d) Perinatal transmission

148. Signs of separation of placenta are the following except:

- (a) Lengthening of the cord at vulva
- (b) Gush of blood is seen
- (c) Fundus risas upto umbilicus
- (d) Temperature rises

149. Placental bed blood circulation through

- (b) Spiral arteries
- (c) Chorionic membrane (d) Perinatal artery

150. Signs of true labour are the following except:

- (a) Painful rhythmic uterine contraction
- (b) Dilatation of the OS
- (c) Fetal movement
- (d) Show

151. The danger of convulsion in a woman with preeclampsia ends

- (a) After labor begin
- (b) After delivery occurs
- (c) 24 hours postpartum (d) 48 hours postpartum

152. Characteristic of the blood flow due to arterial bleeding is the following except:

- (a) Bright red in colour
- (b) Spunts at each cartrachian of the heart
- (c) Flow is pulsatile
- (d) Dark red in colour

153. Herd immunity does not protect an individual in

- (a) Diphtheria
- (b) Poliomyelitis
- (c) Smallpox
- (d) Tetanus

154. An agent that has power to kill Micro-organism:

- (a) Bacteriostat
- (b) Bacteriocide
- (c) Antiseptic
- (d) Bacteriostasis

155. Isoniazid (INH) is prescribed for a2 yrs old child with a positive Mantous test. The mother of the child asks the nurse how long the child will need to take the medication. The nurse tells the mother that the medication will need to be taken for

- (a) 6 months
- (b) 9 months
- (c) 12 months
- (d) 18 months

156. Strength of savlon forcleaning of wounds:

- (a) 1:10 (b) 1:100
- - (c) 1:1000 (d) 1:10000

157. Which of the following assessment finding is typical of extracellular fluid loss?

- (a) Distended jugular veins
- (b) Elevated hematocrit level
- (c) Rapid thread pulse
- (d) Increased serum sodium level

158. What is This



- (a) laryngoscope
- (b) Ambu bag
- (c) Endotracheal intubation (d) Oxygen mask

159. Inflammation of the tongue:

- (a) Glossitis
- (b) Gingivitis
- (c) Stomatitis
- (d) Parotitis

160. Following are predisposing cause for bedsore except

(a) High blood pressure (b) Arteroisclerosis

(a) Impaired circulation (b) Lowered vitality

161. Inability to sleep is termed as: (a) Dyspepsia (b) Dyspanea (c) Anoresia (d) Insumania 162. Tobacco contains a poisonous substance called (a) Nicotine (b) Narrotics (c) Alcohol (d) Caffeine 163. A disease caused by allergic disease is called (a) Asthma (b) Tuberculosis (c) Cancer (d) Gastroenteritis 164. An adult has litres of blood in his body. (a) 7 - 8 (b) 5 - 6 (c) 9 - 10 (d) 2 - 3 165. Several persons in a town got the attack of leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (d) The spinal nerves and spinal cord (c) The spinal nerves and		(c) Emaciation	(d) Anorexia		(c) Arthri	tis	(d) Diabe	tes	
Colora C	161.	Inability to sleep is terr	ned as:	172.	Deficien	cy of thyroxin	in adults le	eads to a	
Color Colo		(a) Dyspepsia (b) Dyspnaea			conditio	n called:			
(a) Nicotine (b) Narcotics (c) Alcohol (d) Caffeine (d) Caffeine (d) Adisease caused by allergic disease is called (a) Asthma (b) Tuberculosis (c) Cancer (d) Gastroenteritis 164. An adult has litres of blood in his body. (a) 7 - 8 (b) 5 - 6 (c) 9 - 10 (d) 2 - 3 165. Several persons in a town got the attack of leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (d) The spinal nerves and spinal cord (c) The spi		(c) Anorexia	(d) Insumania		(a) Tetan	i	(b) Cretin	ism	
173. The hormone that is injected to pregnant women at the time of delivery is 163. A disease caused by allergic disease is called (a) Asthma (b) Tuberculosis (c) Cancer (d) Gastroenteritis 164. An adult has litres of blood in his body. (a) 7 - 8 (b) 5 - 6 (c) 9 - 10 (d) 2 - 3 165. Several persons in a town got the attack of leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (e) Andragen (d) Conjunctiva (e) Conjunctiva (e) Conjunctiva (d) Sternum (e) Inc. (e) Retina (d) Conjunctiva (e) Conjunctiva (e) Conjunctiva (e) Retina (d) Conjunctiva (e) Conjunctiva (e) Steps (d) Sternum (e) The energy value of is more than that of others (a) Exposed to radiation (b) Drinking polluted water (e) Smoking (d) Sternum (e) The energy value of is more than that of others (a) Protein (d) Sternum (e) The energy value of is more than that of others (b) Drinking polluted water (e) Smoking (d) Sternum (e) The energy value of is more than that of others (c) Protein (d) Sternum (e) The energy value of is more than that of others (a) Protein (d) Sternum (e) The energy value of is more than that of others (b) Drinking polluted water (e) Smoking (e) Brown in the human body is (a) Malleus (b) Inc. (e) The enarial nerves and spinal cord (e) The spinal nerves and spinal c	162.	Tobacco contains a pois	sonous substance called		(c) Myxo	edema	(d) Grave	s diseases	
at the time of delivery is (a) A disease caused by allergic disease is called (a) A sthma (b) Tuberculosis (c) Cancer (d) Gastroenteritis 164. An adult has litres of blood in his body. (a) 7 - 8 (b) 5 - 6 (c) 9 - 10 (d) 2 - 3 165. Several persons in a town got the attack of leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (d) Breathing in impure ai (d) The carrial nerves and brain (d) The spinal nerves and brain (d) The spinal nerves and spinal cord (e) The spinal nerves and spinal cord (f) The spinal nerves and spinal cord (g) The spinal nerves and spi		(a) Nicotine	(b) Narcotics						
(a) Asthma (b) Tuberculosis (c) Cancer (d) Gastroenteritis 164. An adult haslitres of blood in his body. (a) 7-8 (b) 5-6 (c) 9-10 (d) 2-3 165. Several persons in a town got the attack of leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (d) The energy value of is more than that of others (a) Pats (b) Starch (c) Protein (d) Sugar (c) Protein (d) Sugar 167. The product formed when amino acid molecules combine together is called (a) Nucleic acid (b) Starch (c) Carbohydrate (d) Proteins (a) Spontaneous generation (b) Mutation (c) Inheritance of acquired character (d) Natural selection 169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles (a) Sodium (b) Iron (c) Iodine (d) Calcium (c) Iodine (d) Calcium (d) Galcyey (d) BGYEYK (c) GLPEYKB (d) BGYEYK (d) BGYPYEK (e) GLPEYKB (d) BGYEYK		(c) Alcohol	(d) Caffeine	173.			-	oregnant women	
174. The outer layer of the eye ball is (a) 7 - 8 (b) 5 - 6 (c) 9 - 10 (d) 2 - 3 165. Several persons in a town got the attack of leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (e) The spinal nerves and spinal cord (c) The spinal nerves and spinal cord (c) The spinal nerves and spinal cord (d) The spinal nerves and spinal cord (e) The spinal nerves and spinal cord (f) The spinal n	163.	A disease caused by alle	ergic disease is called		(a) Vasop	ressin	(b) Oxyto	cin	
174. The outer layer of the eye ball is (a) 7 - 8 (b) 5 - 6 (c) 9 - 10 (d) 2 - 3 165. Several persons in a town got the attack of leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (e) The spinal nerves and spinal cord (c) The spinal nerves and spinal cord (c) The spinal nerves and spinal cord (d) The spinal nerves and spinal cord (e) The spinal nerves and spinal cord (f) The spinal n		(a) Asthma	(b) Tuberculosis				(d) Oestro	ogen	
174. The outer layer of the eye ball is (a) 7 - 8 (b) 5 - 6 (c) 9 - 10 (d) 2 - 3 (c) 8 (e) 9 - 10 (d) 2 - 3 (c) 8 (e) 9 - 10 (d) 2 - 3 (e) 8 (e) 9 - 10 (d) 2 - 3 (e) 8 (e) 9 - 10 (d) 9 - 140 mg/100 ml (d) 9 - 140 mg/100 ml (e) 19 cm shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) lodine (d) Addiation (d) 12 km shyam. 171. Cortisone is used as an effective anti@inflamatory drug in the treatment of		(c) Cancer	(d) Gastroenteritis				Z A		
(a) 7 - 8 (b) 5 - 6 (c) 9 - 10 (d) 2 - 3 165. Several persons in a town got the attack of leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (d) The energy value of is more than that of others (a) Pats (b) Starch (c) Protein (d) Sugar 166. The energy value of is more than that of others (a) Pats (b) Starch (c) Protein (d) Sugar 167. The product formed when amino acid molecules combine together is called (a) Nucleic acid (b) Starch (c) Carbohydrate (d) Proteins 168. Women having normal limbs may sometimes give birth to babies with deformed limbs. This must be due to: (a) Spontaneous generation (b) Mutation (c) Inheritance of acquired character (d) Natural selection 169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 171. Cortisone is used as an effective anti@inflamatory drug in the treatment of (c) Retina (d) Conjunctiva (d) Conjunctiva (d) Corpan be heatack of (a) Malleus (b) Incus (c) Stapes (d) Sternum reanial nerves (b) Incus (c) Stapes (d) Sternum reanial nerves (a) The brain and cranial nerves (b) The cranial nerves and spinal cord (c) The spinal nerves (a) Th			174.	The oute	r layer of the	eye ball is)		
165. Several persons in a town got the attack of leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (d) Enterth (d) Enterth (d) Enterth (e) Protein (d) Starch (c) Protein (d) Starch (c) Carbohydrate (d) Proteins (a) Spontaneous generation (b) Mutation (c) Inheritance of acquired character (d) Natural selection (d) Slood (d) Muscles (e) Lymph (d) Muscles (e) Inferitance of acquired character (a) Normal sugar level in our blood is (a) Malleus (b) Iron (c) Indine (d) Calcium (b) Iron (c) Iodine (d) Calcium (b) Iron (c) Indine (d) Calcium (d) Iron (d) Ediction (d) Iron (d) Calcium (d) BGYEPYK (c) GLPEYKB (d) BGYEPYK	164.	An adult has litres of	of blood in his body.		(a) Sclera		(b) Choro	ids	
175. The smallest bone in the human body is leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (d) The energy value of is more than that of others (a) Fats (b) Starch (c) Protein (d) Sugar 166. The product formed when amino acid molecules combine together is called (a) Nucleic acid (b) Starch (c) Carbohydrate (d) Proteins (a) Malleus (b) Interval (c) Stapes (d) Sternum 176. Central nervous system includes: (a) The brain and cranial nerves and spinal cord (c) The spinal nerves and spinal cord (d) The spinal nerves and spinal cord (c) The spinal nerves and spinal cord (c) The spinal nerves and spinal cord (c) The spinal nerves and spinal cord (d) The spinal nerves and spinal cord (c) The spinal nerves		(a) 7 – 8	(b) 5 – 6		(c) Retina	ı	(d) Conju	nctiva	
165. Several persons in a town got the attack of leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (a) The brain and cranial nerves (a) The trainal nerves and spinal cord (c) The spinal nerves and spinal cord (d) The spinal nerves and spinal cord (e) The spinal nerves and spinal cord (f) The spinal nerves and spinal cord (e) The spinal nerves and spinal cord (f) The spinal ner		(c) 9 – 10	(d) 2 – 3			. 5			
leukemia. Which of the following can be possible reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (a) The brain and cranial nerves (b) The cranial nerves and spinal cord (c) The spinal nerves and spinal cord (c) The spinal nerves and spinal cord (d) The spinal nerves and spinal cord (e) The spinal nerves and spinal cord (e) The spinal nerves and spinal cord (free protein (d) Sugar (free protein (d) Sugar (free protein (d) Sugar (free protein (d) Sugar (free protein (d) Starch (free protein (d) Proteins (free protein (d) P				175. The small				oody is	
reason for that? (a) Exposed to radiation (b) Drinking polluted water (c) Smoking (d) Breathing in impure ai (d) The spinal nerves and spinal cord (e) The spinal nerves and spinal cord (f) The spinal nerves and spinal cord (e) The spinal nerves and spinal cord (f) The spinal nerves and spinal cord	165.								
(c) Smoking (d) Breathing in impure ai (b) The cranial nerves and spinal cord (c) The spinal nerves and brain (d) The spinal nerves and spinal cord (c) The spinal nerves and spinal cord (d) The spinal nerves and spinal cord (e) The spinal nerves and spinal cor			following can be possible		(c) Stape:		(d) Sternı	ım	
(c) Smoking (d) Breathing in impure ai (a) The brain and cranial nerves (b) The cranial nerves and spinal cord (c) The spinal nerves and brain (d) The spinal nerves and spinal cord (c) The spinal nerves and spinal cord (d) Opaque (e) The spinal nerves and spinal cord (e) Convex (c) Cylindrical (d) Opaque (e) The spinal nerves and spinal cord (e) The spinal nerves and spinal cord (e) Convex (c) Cylindrical (d) Opaque (e) The spinal nerves and spinal cord (e) Convex (c) Cylindrical (d)		(a) Exposed to radiation	(b) Drinking polluted water	176.	Central r	iervous syster	n includes:		
166. The energy value of is more than that of others (a) Fats (b) Starch (c) Protein (d) Sugar 177. Short sightedness can be corrected by using spectacles with lens. (a) Concave (b) Convex (c) Cylindrical (d) Opaque (d) Opaque (e) Opaque (f) Corrected by using spectacles with lens. (a) Concave (b) Convex (c) Cylindrical (d) Opaque (d) Opaque (e) Opaque (f) Corrected by using spectacles with lens. (a) Concave (b) Convex (c) Cylindrical (d) Opaque (f) Opaque (g) Opaq		• • •		((a) The b	rain and crania	l nerves		
others (a) Fats (b) Starch (c) Protein (d) Sugar 177. Short sightedness can be corrected by using spectacles with lens. (a) Concave (b) Convex (c) Cylindrical (d) Opaque (a) Nucleic acid (b) Starch (c) Carbohydrate (d) Proteins 188. Women having normal limbs may sometimes give birth to babies with deformed limbs. This must be due to: (a) Spontaneous generation (b) Mutation (c) Inheritance of acquired character (d) Natural selection 199. Labour takes place after days of last menstrual period (a) Nerves (b) Blood (c) Lymph (d) Muscles 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 171. Cortisone is used as an effective anti@inflamatory drug in the treatment of (d) The spinal nerves and spinal cord 177. Short sightedness can be corrected by using spectacles withlens. (a) Concave (b) Convex (c) Cylindrical (d) Opaque (d) Opaqu				< \					
(a) Fats (b) Starch (c) Protein (d) Sugar 177. Short sightedness can be corrected by using spectacles with lens. 167. The product formed when amino acid molecules combine together is called (a) Nucleic acid (b) Starch (c) Carbohydrate (d) Proteins 168. Women having normal limbs may sometimes give birth to babies with deformed limbs. This must be due to: (a) Spontaneous generation (b) Mutation (c) Inheritance of acquired character (d) Natural selection 169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 171. Cortisone is used as an effective anti@inflamatory drug in the treatment of 177. Short sightedness can be corrected by using spectacles withlens. (a) Concave (b) Convex (c) Cylindrical (d) Opaque (d) Opaque (e) Cylindrical (d) Opaque (c) Cylindrical (d) Opaque (c) Cylindrical (d) Opaque (d) Opaque (e) Convex (e) Cylindrical (d) Opaque (d) Opaque (a) Sonral sugar level in our blood is: (a) 95 – 125 mg/100ml (b) 65 – 130 mg/100ml (c) 80 – 120 mg/100ml (d) 90 – 140 mg/100 ml (d) 90 – 140 mg/100 ml (a) 300 (b) 280 (c) 365 (d) 240 (a) 300 (b) 280 (c) 365 (d) 240 (b) Example of the body through the walks 4 km. Shyam moves towards west and walks 5 km. how far Ram is from shyam. (a) 13 km (b) 16 km (c) 9 km (d) 10 km (b) 10 km (c) Iodine (d) Calcium (d) Calcium (e) GUPEYKB (d) BGYEPYK	166.	The energy value of	is more than that of		(c) The spinal nerves and brain				
177. Short sightedness can be corrected by using spectacles with lens.		others		(d) The spinal nerves and spinal cord					
spectacles with lens. 167. The product formed when amino acid molecules combine together is called (a) Nucleic acid (b) Starch (c) Carbohydrate (d) Proteins 178. Normal sugar level in our blood is: (a) 95 - 125 mg/100ml (b) 65 - 130 mg/100ml (c) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (e) 10 heritance of acquired character (d) Natural selection 169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 171. Cortisone is used as an effective anti@inflamatory drug in the treatment of 3 (a) Concave (b) Convex (d) Opaque (d) Concave (e) Cylindrical (d) Opaque (d) Concave (e) Cylindrical (d) Opaque (a) Concave (e) Cylindrical (d) Opaque (a) Concave (b) Convex (c) Cylindrical (d) Opaque (a) Concave (b) Convex (c) Cylindrical (d) Opaque (a) Concave (b) Convex (a) 95 - 125 mg/100ml (b) 65 - 130 mg/100ml (d) 90 - 140 mg/100 ml (d)		(a) Fats	(b) Starch						
167. The product formed when amino acid molecules combine together is called (a) Nucleic acid (b) Starch (c) Carbohydrate (d) Proteins 178. Normal sugar level in our blood is: (a) 95 - 125 mg/100ml (b) 65 - 130 mg/100ml (c) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (d) 90 - 140 mg/100 ml (e) 10 Natural selection 179. Labour takes place after days of last menstrual period (a) Nerves (b) Blood (c) Lymph (d) Muscles 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 2 km. how far Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 171. Cortisone is used as an effective anti⊞inflamatory drug in the treatment of		(c) Protein	(d) Sugar	177.				ed by using	
combine together is called (a) Nucleic acid (b) Starch (c) Carbohydrate (d) Proteins 178. Normal sugar level in our blood is: (a) 95 - 125 mg/100ml (b) 65 - 130 mg/100ml (c) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (d) 90 - 140 mg/100 ml (e) 179. Labour takes place after days of last menstrual period (d) Natural selection 180. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK									
(a) Nucleic acid (b) Starch (c) Carbohydrate (d) Proteins 178. Normal sugar level in our blood is: (a) 95 - 125 mg/100ml (b) 65 - 130 mg/100ml (c) 80 - 120 mg/100 ml (d) 90 - 140 mg/100 ml (d) 90 - 140 mg/100 ml (e) Inheritance of acquired character (d) Natural selection 179. Labour takes place after days of last menstrual period (a) 300 (b) 280 (c) 365 (d) 240 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK	167.								
(c) Carbohydrate (d) Proteins 178. Normal sugar level in our blood is: (a) 95 - 125 mg/100ml (b) 65 - 130 mg/100ml (c) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (a) Spontaneous generation (b) Mutation (c) Inheritance of acquired character (d) Natural selection 179. Labour takes place after days of last menstrual period (a) 300 (b) 280 (c) 365 (d) 240 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK			led		(c) Cylind	lrical	(d) Opaqı	ıe	
(a) 95 - 125 mg/100ml (b) 65 - 130 mg/100ml (c) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (d) 90 - 140 mg/100 ml (e) Natural selection (a) Natural selection (b) Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles (e) Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium (a) 95 - 125 mg/100ml (b) 65 - 130 mg/100ml (c) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (e) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (e) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (e) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (e) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (e) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (e) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (e) 80 - 120 mg/100ml (e) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (e) 80 - 120 mg/100ml (d) 90 - 140 mg/100 ml (e) 300 (b) 280 (c) 365 (d) 240 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. (a) 13 km (b) 16 km (c) 9 km (d) 10 km (a) 300 (b) 280 (c) 365 (d) 240 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. (a) 13 km (b) 16 km (c) 9 km (d) 10 km (a) 13 km (b) 16 km (c) 9 km (d) 10 km (a) 15 km (b) 16 km (c) 9 km (d) 10 km (a) 15 km (b) 16 km (c) 9 km (d) 10 km (b) 16 km (c) 9 km (d) 10 km (c) 10 km (d) 10 km (d) 90 - 140 mg/100 ml (e) 80 mg/100 ml (e) 160 mg/100 mg/1					_				
168. Women having normal limbs may sometimes give birth to babies with deformed limbs. This must be due to: (a) Spontaneous generation (b) Mutation (c) Inheritance of acquired character (d) Natural selection (a) 300 (b) 280 (c) 365 (d) 240 169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles (d) Muscles (e) Lymph (d) Muscles (e) Lymph (d) Muscles (e) Lymph (d) Calcium (e) Iodine (d) Calcium (e) Iodine (d) Calcium (e) Iodine (d) Calcium (e) Lymph (e) Lymph (e) Iodine (e)		(c) Carbohydrate	(d) Proteins	178.			our blood is	S:	
birth to babies with deformed limbs. This must be due to: (a) Spontaneous generation (b) Mutation (c) Inheritance of acquired character (d) Natural selection 179. Labour takes place after days of last menstrual period (a) 300 (b) 280 (c) 365 (d) 240 169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Galcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK									
due to: (a) Spontaneous generation (b) Mutation (c) Inheritance of acquired character (d) Natural selection 179. Labour takes place after days of last menstrual period (a) 300 (b) 280 (c) 365 (d) 240 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK	168.								
(a) Spontaneous generation (b) Mutation (c) Inheritance of acquired character (d) Natural selection 179. Labour takes place after days of last menstrual period (a) 300 (b) 280 (c) 365 (d) 240 169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 171. Cortisone is used as an effective anti⊡inflamatory drug in the treatment of (a) Softype (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK			ormed limbs. This must be						
(b) Mutation (c) Inheritance of acquired character (d) Natural selection 169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 171. Cortisone is used as an effective anti⊡inflamatory drug in the treatment of 179. Labour takes place after days of last menstrual period (a) 300 (b) 280 (c) 365 (d) 240 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. (a) 13 km (b) 16 km (c) 9 km (d) 10 km (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK					(d) 90 – 1	.40 mg/100 ml			
(c) Inheritance of acquired character (d) Natural selection 169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK			on	170	Labanna	-ll (of lost str	
(d) Natural selection (a) 300 (b) 280 (c) 365 (d) 240 169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. (a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK		, ,		179.		akes place art	er aays	of last menstrual	
169. Hormones are transported to all parts of the body through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 180. Ram and Shyam started from a fixed place, Ram moves 3km to the north and turns right, then walks 4 km. Shyam moves towards west and walks 5 km, then turns to right and walks 3 km. how far Ram is from shyam. (a) 13 km (b) 16 km (c) 9 km (d) 10 km 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK			ed character		-	(J-) 200	(-) 2(F	(4) 240	
through the (a) Nerves (b) Blood (c) Lymph (d) Muscles 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 171. Cortisone is used as an effective anti@inflamatory drug in the treatment of (b) Blood (d) Muscles 5 km, then turns to right and walks 3 km. how far Ram is from shyam. (a) 13 km (b) 16 km (c) 9 km (d) 10 km 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK		(d) Natural selection			(a) 300	(b) 280	(C) 365	(a) 240	
(a) Nerves (b) Blood walks 4 km. Shyam moves towards west and walks (c) Lymph (d) Muscles 5 km, then turns to right and walks 3 km. how far Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK	169.	Hormones are transpor	ted to all parts of the body	180.	Ram and	Shyam starte	d from a fix	ked place, Ram	
(c) Lymph (d) Muscles 5 km, then turns to right and walks 3 km. how far Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? 171. Cortisone is used as an effective anti⊡inflamatory drug in the treatment of		through the						_	
Ram is from shyam. 170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK		(a) Nerves	(b) Blood						
170. Deficiency of in food causes simple goiter. (a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK		(c) Lymph	(d) Muscles				ht and wall	ks 3 km. how far	
(a) Sodium (b) Iron (c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK					Ram is fr	om shyam.			
(c) Iodine (d) Calcium 181. If, in a code, MIND becomes KGLB and ARGUE becomes YPESC, then what will DIAGRAM be in that code? (a) BGYPYEK (b) LKBGYPK (c) GLPEYKB (d) BGYEPYK	170.	Deficiency of in foo	d causes simple goiter.		(a) 13 km	(b) 16 km	(c) 9 km	(d) 10 km	
becomes YPESC, then what will DIAGRAM be in that code? drug in the treatment of		(a) Sodium	(b) Iron						
drug in the treatment of(a) BGYPYEK(b) LKBGYPK(c) GLPEYKB(d) BGYEPYK		(c) Iodine (d) Calcium							
(c) GLPEYKB (d) BGYEPYK	171.	Cortisone is used as an	effective anti@inflamatory		that code	?			
		drug in the treatment of			(a) BGYP	YEK	(b) LKBG	YPK	
www.mannatacademy.com					(c) GLPEY	ΥKB	(d) BGYEI	PYK	
			www.mannatad	cadem	v.com				

182. 144:10::169:?

(a) 14

(b) 11

(c) 13 (d) 12

183. Synonyms of GARNISH

(a) Paint

(b) Garner

(c) Adorn

(d) Abuse

184. Anonyms of A friendly dog meet us at the farmgate

(a) helpful

(b) understanding

(c) quiet

(d) Hostile

185. In the mathematical signs interchange from - to +, + to ÷, × to - and ÷ to × then find the correct answer of the given equation: $6 \div 8 + 2 \times 5 - 8 = ?$

(a) 27

(b) 18

(c) 32 (d) 28

186. In a certain code language,

(i) 'Pea vee nee' means 'black is beauty'

(ii) 'ta nee ree' means 'white is super'

(iii) 'ree pea baa' means 'black and white'

(iv) 'vee the pea' means 'babies are beauty' then which word in that language means 'white'

(a) nee

(b) ree

(c) ta

(d) pea

187.

$$999\frac{1}{7} + 999\frac{2}{7} + 999\frac{3}{7} + 999\frac{4}{7} + 999\frac{5}{7} + 999\frac{6}{7}$$

(a) 5997

(b) 5879 (c) 5994

(d) 2997

188. Bijli Mahadev temple is in

(a) Punjab

(b) Haryana

(c) Himachal

(d) Delhi

189. Identify the device through which data and instructions are entered into a computer

(a) Software

(b) Output device

(c) Input device

(d) Memory

190. Which one is the result of the output given by a computer

(a) Data

(b) Instruction

(c) Information

(d) Excursion

191. IC-Chips for computers are usually made up of

(a) Lead

(b) Chromium

(c) Silicon

(d) Titanium

192. Which company launced India's first social mobile wallet "Udio"

(a) Oxigen

(b) Twitter

(c) Facebook

(d) Transerv

193. What happen when a ship crosses the 'Date Line' from best to East

(a) It losses one day

(b) It gains half a day

(c) It gains one day

(d) It losses half day

194. When the Indian constitution was created, how many Articles did it contain

(a) 395

(b) 375

(c) 425

(d) 385

195. The Metro which hasn't undergone a name change since independent is

(a) Delhi

(b) Chennai

(c) Calcutta

(d) Mumbai

196. Which country shares longest border with India

(a) China

(b) Bangladesh

(c) Pakistan

(d) Nepal

197. Siachen Glacier located in which mountain range

(a) Satpura

(b) Aravalli

(c) Eastern Karakoram

(d) Vindhya

198. In which Indian state, the tropic of cancer does not passes

(a) Maharashtra

(b) Gujarat

(c) Rajasthan

(d) Tripura

199. Which is the period of 12th five year plan of India

(a) 2012 - 2016

(b) 2013 - 2018

(c) 2011 - 2016

(d) 2012 - 2017

200. In Indian state having the least poverty rate as per annual report of RBU published on 2013

(a) Arunachal Pradesh

(b) Gujarat

(c) Goa

(d) Assam